

**Import Health Standard**  
**Commodity Sub-class: Fresh Fruit/Vegetables**  
**Melon, *Cucumis melo***  
**from Australia**

**ISSUED**

**Issued pursuant to Section 24A of the Biosecurity Act 1993**  
**Date Issued: 23 August 2018**

## **1 NEW ZEALAND NATIONAL PLANT PROTECTION ORGANISATION**

The New Zealand national plant protection organisation is the Ministry for Primary Industries and as such, all communication should be addressed to:

Ministry for Primary Industries (MPI)  
Regulation & Assurance Branch  
Plant Imports  
PO Box 2526  
Wellington 6140  
Email: [plantimports@mpi.govt.nz](mailto:plantimports@mpi.govt.nz)

E-mail: [plantimports@mpi.govt.nz](mailto:plantimports@mpi.govt.nz)  
<http://www.mpi.govt.nz>

## **2 GENERAL CONDITIONS FOR ALL PLANT PRODUCTS**

All plants and plant products are **PROHIBITED** entry into New Zealand, unless an import health standard has been issued in accordance with Section 24A of the Biosecurity Act 1993. Should prohibited plants or plant products be intercepted by the Ministry for Primary Industries, the importer will be offered the option of reshipment or destruction of the consignment.

The national plant protection organisation of the exporting country is requested to inform the Ministry for Primary Industries of any change in its address.

The national plant protection organisation of the exporting country is required to inform the Ministry for Primary Industries of any newly recorded organisms which may infest/infect any commodity approved for export to New Zealand.

Pursuant to the Hazardous Substances and New Organisms Act 1996, proposals for the deliberate introduction of new organisms (including genetically modified organisms) as defined by the Act

should be referred to:

Environment Protection Authority  
PO Box 131  
Wellington  
NEW ZEALAND

Also note:

In order to meet the Environmental Protection Authority's requirements the scientific name (i.e. genus and species) of the commodity must be included in the phytosanitary certificate.

### **3 EXPLANATION OF PEST CATEGORIES**

The Ministry for Primary Industries has categorised organisms associated with plants and plant products into regulated and non-regulated organisms as described below. Organisms (including weeds) associated with each commodity will appear on a separate pest list which will be attached to each import health standard as an Appendix. Weeds may be in the form of seeds or other plant parts.

#### **3.1 REGULATED ORGANISMS**

Regulated organisms are those organisms for which phytosanitary actions would be undertaken if they were intercepted/detected. These will include new organisms as defined by the Hazardous Substances and New Organisms Act 1996. Regulated organisms are sub-divided into the following groups:

##### **3.1.1 Quarantine: Risk group 1 pests**

Risk group 1 pests are those regulated pests (FAO Glossary of Phytosanitary Terms, 1996) which on introduction into New Zealand could cause unacceptable economic impacts on the production of a commodity/commodities and/or the environment.

##### **3.1.2 Quarantine: Risk group 2 pests**

Risk group 2 pests are those regulated pests which on introduction into New Zealand could cause a major disruption to market access (some importing countries require specific pre-export phytosanitary treatments) and/or significant economic impacts on the production of a particular commodity/commodities and/or the environment.

##### **3.1.3 Quarantine: Risk group 3 pests**

Risk group 3 pests (e.g. economically significant species of fruit flies) are those regulated pests which on entry into New Zealand would cause a major disruption to market access for a wide range of New Zealand commodities and/or have significant economic impacts on their production and/or the environment (some importing countries prohibit the entry of the host commodity). An official surveillance system is required for such pests in New Zealand.

### **3.1.4 Regulated non-quarantine pests**

A regulated non-quarantine pest (denoted by "reg." on the pest list) is a pest whose presence in a consignment of plants for planting, affects the intended use of those plants with an economically unacceptable impact and is therefore regulated within the territory of the importing contracting party (Revised IPPC definition, Rome 1997). These pests would be under official control by the use of a Government operated or audited certification scheme.

### **3.1.5 Regulated non plant pests**

Regulated non plant pests are those organisms which, although not pests of plants or plant products, may be associated with plants or plant products in international trade, and may have an affect on human or animal health (eg. black widow spider) and thus fall under the jurisdiction of other New Zealand government departments. The categorisation of these organisms and their associated import restrictions will be applied in accordance with the requirements of the relevant departments.

### **3.1.6 Vectors of associated quarantine pests**

In the context of this import health standard, vectors are those organisms which are able to transmit regulated pests into New Zealand. To prevent the transmission of vectored quarantine organisms to susceptible commodities in New Zealand, it is necessary to prevent the entry of their vectors. Vectors (denoted by "vect." on the pest list) will be categorised as risk group 1 even if they are present in New Zealand, unless they are risk group 2 pests in their own right. If the vectored organism is not present in the exporting country then the associated vector(s), if present in New Zealand, will be categorised as a non-regulated non-quarantine pest(s).

### **3.1.7 Vectored organisms**

Vectored organisms (denoted by "VO" on the pest list) are those regulated pests that are able to enter New Zealand via a vector associated with the imported commodity.

### **3.1.8 Strains of pests**

Where there is documented evidence that a pest associated with the imported commodity has a different host range, different pesticide resistance, vectors a different range of organisms, or is more virulent than that of the same species present in New Zealand, then the different strain (denoted by "strain" on the pest list) of that pest will be categorised accordingly as a risk group 1 or 2 regulated pest.

### **3.1.9 Unidentifiable organisms**

Should identification of an organism not be possible within the required time frame, the organism will be categorised as a regulated pest (either risk groups 1, 2, or 3) until such time as shown otherwise.

### **3.1.10 Unlisted organisms**

Should an organism be intercepted that is not included on the pest list for that commodity, it will be categorised into the appropriate risk group and action taken accordingly.

## **3.2 NON-REGULATED ORGANISMS**

Non-regulated organisms are those organisms for which phytosanitary actions would not be undertaken if they were intercepted/detected. These would include new organisms which could not establish in New Zealand. Non-regulated organisms are sub-divided into the following groups:

### **3.2.1 Non-regulated non-quarantine pests**

Non-regulated non-quarantine pests are either already present in New Zealand and are not under official control or, could not establish in New Zealand.

### **3.2.2 Non-regulated non plant pests**

Non-regulated non plant pests are not pests of plants and are not of concern to the Ministry for Primary Industries or any other New Zealand government department.

## **3.3 CONTAMINANTS (INCLUDING SOIL)**

Consignments contaminated with soil, or other potential carriers of regulated pests (eg. leaf litter) will not be permitted entry if the level of contamination is above the acceptable tolerance.

## **4 APPLICATION OF PHYTOSANITARY MEASURES**

A number of different phytosanitary measures may be applied to pests in each risk group, depending on the commodity and the type of pest. These measures include:

### **4.1 QUARANTINE: RISK GROUP 1 PESTS**

Phytosanitary measures required for risk group 1 pests may include:

- inspection and phytosanitary certification of the consignment according to appropriate procedures by the national plant protection organisation of the exporting country,
- testing prior to export for regulated pests which cannot be readily detected by inspection (eg. viruses on propagating material from accredited facilities), and verified by an additional declaration, to that given on the phytosanitary certificate,
- inspection/testing of the consignment by the Ministry for Primary Industries prior to biosecurity clearance, to ensure the specified pest tolerance has not been exceeded.

### **4.2 QUARANTINE: RISK GROUP 2 PESTS**

Phytosanitary measures required for risk group 2 pests may include all the requirements for risk group 1 pests and may also require pre-export pest control activities to be undertaken by the contracting party, and confirmed by additional declarations to the phytosanitary certificate.

### **4.3 QUARANTINE: RISK GROUP 3 PESTS**

Phytosanitary measures applied to risk group 3 pests may include all the requirements for risk group 1 pests plus:

- the application of a pre-export treatment which has been developed in accordance with an approved Ministry for Primary Industries standard,
- an official bilateral quarantine arrangement between the Ministry for Primary Industries and Australia national plant protection organisation which includes descriptions of each approved treatment system(s),
- specific additional declarations on the phytosanitary certificate.

### **4.4 REGULATED NON-QUARANTINE PESTS**

Phytosanitary measures applied to regulated non-quarantine pests will generally be the same as for risk group 1 pests, or according to the contingencies implemented for that pest if detected in New Zealand.

### **4.5 NON-REGULATED NON-QUARANTINE PESTS**

No phytosanitary measures are applied to non-regulated non-quarantine pests.

## **5 GENERAL CONDITIONS FOR FRESH FRUIT/VEGETABLES**

Commodity sub-class: fresh fruit/vegetables includes fresh fruit and vegetables for consumption.

Only inert/synthetic material may be used for the protection, packaging and shipping materials of fresh fruit/vegetables.

All host material (fruit/vegetables) of fruit fly species (Diptera: Tephritidae) of economic significance shall only be imported under the terms of a bilateral quarantine arrangement (e.g. agreement, workplan) between the Ministry for Primary Industries Director, Plants, Food & Environment and the head of the supply country's national plant protection organisation.

## 6 SPECIFIC CONDITIONS FOR MELONS FROM AUSTRALIA

This import health standard covers the requirements for the entry of melons, commodity sub-class: fresh fruit/vegetables from Australia only.

### 6.1 PRE-EXPORT REQUIREMENTS

#### 6.1.1 Inspection of the consignment

The Ministry for Primary Industries requires that the Australia national plant protection organisation sample and inspect the consignment according to official procedures for all visually detectable regulated pests (as specified by the Ministry for Primary Industries), with a 95% confidence level, that not more than 0.5% of the units in the consignment are infested (this equates to an acceptance level of zero units infested by quarantine pests in a sample size of 600 units).

#### 6.1.2 Testing of the consignment

Testing of the consignment prior to export to New Zealand for quarantine pathogens which are not visually detectable is not generally required for fresh melons from Australia.

#### 6.1.3 Documentation

**Bilateral quarantine arrangement:** Required

Melons, commodity sub-class: fresh fruit/vegetables, may only be imported into New Zealand from Australia under the terms of the bilateral quarantine arrangement.

**Phytosanitary certificate:** Required.

**Import permit/Authorisation to import:** Exempt under Gazette Notice: No. AG12, 13 July 1995.

#### 6.1.4 Phytosanitary certification

A completed phytosanitary certificate issued by the Australia national plant protection organisation must accompany all melons, commodity sub-class: fresh fruit/vegetables exported to New Zealand.

Before an export phytosanitary certificate is to be issued, the Australia national plant protection organisation must be satisfied that the following activities required by the Ministry for Primary Industries have been undertaken.

The melons have:

- been inspected in accordance with appropriate official procedures and found to be free of visually detectable regulated pests specified by the Ministry for Primary Industries.

**AND**

- undergone an agreed treatment that is effective against species in

Quarantine: Risk group 3.

**AND**

- undergone appropriate pest control activities that are effective against:

*Bemisia tabaci*  
*Phyllophaga* sp.  
*Tetranychus kanzawai*  
*Thrips palmi*

**OR**

been sourced from an area free (verified by an official detection survey) from the following:

*Bemisia tabaci*  
*Phyllophaga* sp.  
*Tetranychus kanzawai*  
*Thrips palmi*

**AND**

- been produced in a pest free place of production for *Cucumber green mottle mosaic virus* (CGMMV).

Note: Combinations of treatments and area freedom are permissible for the aforementioned risk group 2 regulated pests.

### **6.1.5 Additional declarations to the phytosanitary certificate**

If satisfied that the pre-export activities have been undertaken, the Australia national plant protection organisation must confirm this by providing the following additional declarations to the phytosanitary certificate:

"The melons in this consignment have:

- been inspected in accordance with appropriate official procedures and found to be free of any visually detectable regulated pests specified by the Ministry for Primary Industries.

**AND**

- been treated in accordance with
  - Appendix 2; **or**,
  - Appendix 4 (Rockmelon only); **or**,
  - Appendix 4 and Appendix 10 (Honeydew melon only); **or**,
  - Appendix 10 and Appendix 11.

of the Arrangement between the New Zealand Ministry for Primary Industries and the Australian Quarantine and Inspection Service concerning the access of host material of fruit fly species of economic significance into New Zealand from Australia.

**AND**

- undergone appropriate pest control activities that are effective against those Risk group 2 regulated pests specified by MPI.

OR

been sourced from an area free from those Risk group 2 regulated pests specified by MPI."

**AND**

- been produced in a pest free place of production for *Cucumber green mottle mosaic virus* (CGMMV).

## **6.2 TRANSIT REQUIREMENTS**

The melons must be packed and shipped in a manner to prevent contamination by regulated pests.

The package should not be opened in transit. However, where a consignment is either stored, split up or has its packaging changed while in another country (or countries) *en route* to New Zealand, a "Re-export Certificate" is required. Where a consignment is held under bond, as a result of the need to change conveyances, and it is kept in the original shipping container, a "Re-export Certificate" is not required.

## **6.3 INSPECTION ON ARRIVAL**

The Ministry for Primary Industries will check the accompanying documentation on arrival to confirm that it reconciles with the actual consignment.

The Ministry for Primary Industries requires, with 95% confidence, that not more than 0.5% of the units (for melons, a unit is one fruit) in a consignment are infested with visually detectable regulated pests. To achieve this, the Ministry for Primary Industries will sample and inspect 600 units with an acceptance level of zero infested units (or equivalent), from the (homogeneous) lot.

## **6.4 BIOSECURITY/QUARANTINE DIRECTIVE**

The commodity may be directed to a facility for further treatment if required.

## **6.5 TESTING FOR REGULATED PESTS**

The Ministry for Primary Industries may, on the specific request of the Director, Plants Biosecurity, test melons (commodity subclass: fresh fruit/vegetables) from Australia for regulated pests.

## **6.6 ACTIONS UNDERTAKEN ON THE INTERCEPTION/DETECTION OF ORGANISMS/CONTAMINANTS**

If regulated pests are intercepted/detected on the commodity, or associated packaging, the following actions will be undertaken as appropriate:

### **6.6.1 Quarantine: Risk group 1 pests**



If a risk group 1 pest is intercepted, the importer will be given the option of:-

- treatment (where possible) of the consignment at the importer's risk,
- re-sorting (specific conditions apply) of the consignment,
- reshipment of the consignment,
- destruction of the consignment.

#### **6.6.2 Quarantine: Risk group 2 pests**

If a risk group 2 pest is intercepted, the importer will be given the option of:-

- treatment (where possible) at the discretion of the Director, Plants Biosecurity and immediate feedback to the national plant protection organisation of the exporting country with a request for corrective action,
- reshipment of the consignment,
- destruction of the consignment.

#### **6.6.3 Quarantine: Risk group 3 pests**

Actions for the interception of risk group 3 pests will include:-

- reshipment of the consignment OR destruction of the consignment,

AND

- the suspension of trade, until the cause of the non-compliance is investigated, identified and rectified. The appropriate actions may be audited by the Ministry for Primary Industries. Once the requirements of the Ministry for Primary Industries have been met to the satisfaction of the Director, Plants Biosecurity, and supporting evidence is provided and verified by the Australia national plant protection organisation, the trade suspension will be lifted.

#### **6.6.4 Regulated non-quarantine pests**

Actions for the interception/detection of regulated non-quarantine pests will be in accordance with the contingencies implemented for that pest if detected in New Zealand.

#### **6.6.5 Regulated non plant pests/unwanted organisms**

Actions for the interception/detection of regulated non plant pests/unwanted organisms will be in accordance with the actions required by the relevant government department.

#### **6.6.6 Non-regulated non-quarantine pests**

No action is undertaken on the interception of non-regulated non-quarantine pests.

#### **6.6.7 Non-regulated non plant pests/organisms**

No action is undertaken on the interception of non-regulated non plant pests/organisms.

### **6.6.8 Contaminants**

Lots with more than 25 grams of soil per 600 unit sample shall be treated, reshipped or destroyed.

Interception of extraneous plant material (e.g. leaves, twigs) in the 600 unit sample will result in the lot being held until an assessment has been made in comparison with the risk of importing the part(s) of the plant species concerned.

## **6.7 BIOSECURITY CLEARANCE**

If regulated pests are not detected, or are successfully treated following interception/detection biosecurity clearance will be given.

## **6.8 FEEDBACK ON NON-COMPLIANCE**

The Australia national plant protection organisation will be informed by the Ministry for Primary Industries's Director, Plants Biosecurity of the interception (and treatment) of any regulated pests, "unlisted" organisms, or non-compliance with other phytosanitary requirements.

## **7 CONTINGENCIES FOLLOWING BIOSECURITY CLEARANCE**

Should a regulated pest be detected subsequent to biosecurity clearance, the Ministry for Primary Industries may implement a management programme (official control programme) in accordance with Part V of the Biosecurity Act 1993 and Part 5 of the Biosecurity Amendment Act 1997.

## Appendix

### Pest List Commodity Sub-class: Fresh Fruit/Vegetables Melon, *Cucumis melo* from Australia

#### REGULATED PESTS (actionable)

##### Quarantine: Risk group 3 pests

###### Insect

###### Insecta

###### Diptera

###### Tephritidae

*Bactrocera cucumis*

cucumber fruit fly

*Ceratitis capitata*

Mediterranean fruit fly

##### Quarantine: Risk group 2 pests

###### Insect

###### Insecta

###### Coleoptera

###### Scarabaeidae

*Phyllophaga* sp.

crown girdler

###### Homoptera

###### Aleyrodidae

*Bemisia tabaci*

sweet potato whitefly

###### Thysanoptera

###### Thripidae

*Thrips palmi*

palm thrips

###### Mite

###### Arachnida

###### Acarina

###### Tetranychidae

*Tetranychus kanzawai*

kanzawa mite

###### Virus

-

###### Virgaviridae

###### Tobamovirus

*Cucumber green mottle mosaic virus* (CGMMV)

-

## Quarantine: Risk group 1 pests

### Insect

#### Insecta

##### Coleoptera

###### Cerambycidae

*Apomecyna histrio*

cucurbit stemborer

###### Chrysomelidae

*Aulacophora foveicollis*

red pumpkin beetle

*Aulacophora hiliaris*

pumpkin beetle

*Monolepta australis*

red-shouldered leaf beetle

###### Coccinellidae

*Epilachna boisduvali*

epilachna beetle

*Epilachna vigintioctomaculata*

leaf feeding coccinellid

*Epilachna vigintioctopunctata*

28-spot ladybird

*Henosepilachna suffusa*

-

###### Curculionidae

*Listroderes difficilis*

vegetable weevil

##### Diptera

###### Muscidae

*Atherigona orientalis*

muscid fly

###### Phoridae

*Megaselia* sp.

-

###### Tephritidae

*Dacus axanus*

fruit fly

*Dacus petioliforma*

fruit fly

##### Hemiptera

###### Coreidae

*Amblypelta nitida*

fruit-spotting bug

*Fabriciella australis*

squash bug

*Fabriciella gonagra*

passionvine bug

###### Dinidoridae

*Megymenum insulare*

cucurbit shield bug

###### Lygaeidae

*Nysius vinitor*

Rutherglen bug

###### Miridae

*Creontiades dilutus*

green mirid

*Halticus tibialis*

plant bug

##### Homoptera

###### Aleyrodidae

*Trialeurodes* spp. (except *T. vaporariorum*)

whiteflies

###### Aphididae

*Aphis gossypii* [vect.]

cotton aphid

*Myzus persicae* [vect.]

green peach aphid

###### Pseudococcidae

*Dysmicoccus brevipes*

pineapple mealybug

*Ferrisia virgata*

striped mealybug

*Planococcus minor*

Pacific mealybug

##### Lepidoptera

###### Noctuidae

*Helicoverpa assulta*

cape gooseberry budworm

*Proxenus tenuis*

-

*Spodoptera exigua*

beet armyworm

###### Pyralidae

*Diaphania indica*

melon moth

*Hellula undalis*

oriental cabbage webworm

*Spoladea recurvalis*

Hawaiian beet webworm

##### Thysanoptera

###### Thripidae

*Thrips hawaiiensis*

Hawaiian flower thrips

*Thrips tabaci* [vect.]

onion thrips

## **Mite**

### **Arachnida**

#### **Acarina**

##### **Tetranychidae**

*Eutetranychus orientalis*

*Tetranychus desertorum*

*Tetranychus lombardinii*

*Tetranychus neocaledonicus*

pear leaf blister mite

desert spider mite

southern lobed mite

Mexican spider mite

## Fungus

### Ascomycota

#### Unknown Ascomycota

##### Hyponectriaceae

*Monographella cucumerina* --  
(anamorph *Microdochium tabacinum*)

### Mitosporic Fungi (Coelomycetes)

#### Sphaeropsidales

##### Sphaerioidaceae

*Phomopsis cucurbitae* --

### Mitosporic Fungi (Hyphomycetes)

#### Hyphomycetales

##### Dematiaceae

*Cercospora citrullina* cigar-end  
*Ulocladium* sp. -

#### Tuberculariales

##### Tuberculariaceae

*Fusarium chlamydosporum* root and stem rot  
*Fusarium concolor* -  
*Fusarium oxysporum* f. sp. *melonis* --

### Oomycota

#### Pythiales

##### Pythiaceae

*Pythium aphanidermatum* cottony leak

### Zygomycota: Zygomycetes

#### Mucorales

##### Choanephoraceae

*Choanephora cucurbitarum* blight

## Bacterium

-

-

##### Pseudomonadaceae

*Acidovorax avenae* subsp. *citrulli* bacterial rot

## Virus

-

-

-

tobacco ringspot nepovirus [strain] [VO] -

## Regulated non-quarantine pests

None

## Regulated non plant pests

None

# NON-REGULATED PESTS (non-actionable)

## Non-regulated non-quarantine pests

### Insect

#### Insecta

##### Coleoptera

##### Curculionidae

*Asynonychus cervinus*  
*Naupactus leucoloma*

Fuller's rose weevil  
whitefringed weevil

##### Collembola

##### Sminthuridae

*Bourletiella hortensis*  
*Sminthurus viridis*

garden springtail  
lucerne flea

##### Dermaptera

##### Forficulidae

*Forficula auricularia*

European earwig

##### Diptera

##### Anthomyiidae

*Delia platura*

seedcorn maggot

##### Hemiptera

##### Pentatomidae

*Nezara viridula*

green vegetable bug

##### Homoptera

##### Aleyrodidae

*Bemisia argentifolii*  
*Trialeurodes vaporariorum*

poinsettia whitefly  
greenhouse whitefly

##### Aphididae

*Aphis craccivora*  
*Aulacorthum solani*  
*Lipaphis erysimi*  
*Macrosiphum euphorbiae*  
*Rhopalosiphum rufiabdominalis*  
*Toxoptera aurantii*  
*Toxoptera citricidus*

cowpea aphid  
foxglove aphid  
turnip aphid  
potato aphid  
rice root aphid  
black citrus aphid  
brown citrus aphid

##### Pseudococcidae

*Planococcus citri*  
*Pseudococcus viburni*

citrus mealybug  
obscure mealybug

##### Lepidoptera

##### Noctuidae

*Helicoverpa armigera*  
*Spodoptera litura*

tomato fruitworm  
cluster caterpillar

##### Thysanoptera

##### Thripidae

*Frankliniella occidentalis*

western flower thrips

### Mite

#### Arachnida

##### Acarina

##### Acaridae

*Tyrophagus putrescentiae*

mould mite

##### Eupodidae

*Halotydeus destructor*  
*Penthaleus major*

oriental mite  
winter grain mite

##### Tarsonemidae

*Polyphagotarsonemus latus*

broad mite

**Tetranychidae**

<i>Panonychus citri</i>	citrus red mite
<i>Petrobia latens</i>	brown wheat mite
<i>Tetranychus cinnabarinus</i>	carmine spider mite
<i>Tetranychus ludeni</i>	bean spider mite
<i>Tetranychus urticae</i>	twospotted spider mite

**Fungus****Ascomycota****Dothideales****Mycosphaerellaceae**

<i>Mycosphaerella tassiana</i> (anamorph <i>Cladosporium herbarum</i> )	black leaf spot
--	-----------------

**Unknown Dothideales**

<i>Didymella bryoniae</i> (anamorph <i>Phoma cucurbitacearum</i> )	cucumber stem rot
--	-------------------

**Erysiphales****Erysiphaceae**

<i>Erysiphe cichoracearum</i> (anamorph <i>Oidium asteris-punicea</i> )	powdery mildew
--	----------------

**Hypocreales****Hypocreaceae**

<i>Gibberella acuminata</i> (anamorph <i>Fusarium acuminatum</i> )	fusarium storage rot
<i>Gibberella avenacea</i> (anamorph <i>Fusarium avenaceum</i> )	fusarium stem canker
<i>Gibberella baccata</i> (anamorph <i>Fusarium lateritium</i> )	fusarium rot
<i>Gibberella intricans</i> (anamorph <i>Fusarium equiseti</i> )	root and stem dry rot
<i>Nectria haematococca</i> (anamorph <i>Fusarium solani</i> )	fusarium fruit rot

**Leotiales****Sclerotiniaceae**

<i>Botryotinia fuckeliana</i> (anamorph <i>Botrytis cinerea</i> )	grey mould
<i>Sclerotinia sclerotiorum</i>	cottony rot

**Phyllachorales****Phyllachoraceae**

<i>Glomerella lagenaria</i> (anamorph <i>Colletotrichum orbiculare</i> )	--
---	----

**Saccharomycetales****Dipodascaceae**

<i>Dipodascus geotrichum</i> (anamorph <i>Geotrichum candidum</i> )	sour rot
---	----------

**Basidiomycota: Basidiomycetes****Ceratobasidiales****Ceratobasidiaceae**

<i>Thanatephorus cucumeris</i> (anamorph <i>Rhizoctonia solani</i> )	rhizoctonia rot
--	-----------------

**Stereales****Atheliaceae**

<i>Athelia rolfsii</i> (anamorph <i>Sclerotium rolfsii</i> )	Rolf's disease
--	----------------

**Mitosporic Fungi (Coelomycetes)****Sphaeropsidales****Sphaerioidaceae**

<i>Lasiodiplodia theobromae</i>	fruit and stem-end rot
<i>Macrophomina phaseolina</i>	ashy stem blight
<i>Septoria cucurbitacearum</i>	--

**Mitosporic Fungi (Hyphomycetes)****Hyphomycetales****Dematiaceae**

<i>Alternaria alternata</i>	black stalk rot
<i>Alternaria cucumerina</i>	--
<i>Alternaria tenuissima</i>	alternaria mould



<i>Cladosporium oxysporum</i>	cladosporium leaf spot
<i>Ulocladium cucurbitae</i>	--
<b>Moniliaceae</b>	
<i>Verticillium dahliae</i>	verticillium wilt
<b>Tuberculariales</b>	
<b>Tuberculariaceae</b>	
<i>Fusarium moniliforme</i> var. <i>intermedium</i>	mould
<i>Fusarium oxysporum</i>	leaf spot
<i>Fusarium oxysporum</i> f. sp. <i>niveum</i>	--
<i>Fusarium solani</i> f. sp. <i>cucurbitae</i>	--
<b>Unknown Hyphomycetes</b>	
<b>Unknown Hyphomycetes</b>	
<i>Trichothecium roseum</i>	pink rot
<b>Oomycota</b>	
<b>Peronosporales</b>	
<b>Peronosporaceae</b>	
<i>Pseudoperonospora cubensis</i>	downy mildew
<b>Zygomycota: Zygomycetes</b>	
<b>Mucorales</b>	
<b>Mucoraceae</b>	
<i>Rhizopus stolonifer</i>	rhizopus soft rot
<b>Bacterium</b>	
-	
-	
<b>Pseudomonadaceae</b>	
<i>Pseudomonas syringae</i>	bacterial blast
<i>Pseudomonas syringae</i> pv. <i>lachrymans</i>	angular leaf spot
<i>Xanthomonas campestris</i> pv. <i>cucurbitae</i>	bacterial leaf spot
<b>Non-regulated non plant pests</b>	
None	