

Annex

**Standards for Pesticide Residue Limits in Foods** (Amendment part)

Article 3

Appendix Table 1

Pesticide Residue Limits in Foods

<b>Pesticide Name</b>	<b>Crop Category</b>	<b>Maximum Residue Limit (ppm)</b>	<b>Remark</b>
Abamectin	Broad bean (fresh)	0.08	Insecticide
Abamectin	Cowpea (fresh)	0.08	Insecticide
Abamectin	Goa bean	0.08	Insecticide
Abamectin	Hyacinth bean	0.08	Insecticide
Abamectin	Lima bean	0.08	Insecticide
Abamectin	Pea	0.08	Insecticide
Abamectin	Pigeon pea (fresh)	0.08	Insecticide
Abamectin	Snap bean	0.08	Insecticide
Abamectin	Sword bean	0.08	Insecticide
Abamectin	Vegetable soybean	0.08	Insecticide
Abamectin	White dutch runner bean (fresh)	0.08	Insecticide
Acetamiprid	Beetroot	0.5	Insecticide
Acetamiprid	Boxthorn leaf	2.0	Insecticide
Acetamiprid	Carrot	0.5	Insecticide
Acetamiprid	Chayote shoots	2.0	Insecticide
Acetamiprid	Coriander leaves	2.0	Insecticide
Acetamiprid	Daylily stem	0.5	Insecticide
Acetamiprid	Mesona	2.0	Insecticide
Acetamiprid	Mints	2.0	Insecticide
Acetamiprid	Perilla	2.0	Insecticide
Acetamiprid	Potato	0.5	Insecticide
Acetamiprid	Quinoa	0.1	Insecticide
Acetamiprid	Rapeseed	0.1	Insecticide
Acetamiprid	Scallion bulb	0.02	Insecticide
Acetamiprid	Sesame	0.1	Insecticide
Acetamiprid	Shallot bulb	0.02	Insecticide
Acetamiprid	Swede	0.5	Insecticide
Acetamiprid	Taro	0.5	Insecticide
Acetamiprid	Wasabi	0.5	Insecticide
Acetamiprid	Leaf-beet	2.0	Insecticide
Boscalid	Big stem mustard	1.5	Fungicide
Boscalid	Bird-nest fern	4.0	Fungicide
Boscalid	Boxthorn leaf	4.0	Fungicide
Boscalid	Burdock	0.5	Fungicide
Boscalid	Cabbage	1.5	Fungicide
Boscalid	Cauliflower	1.5	Fungicide
Boscalid	Chinese cabbage	1.5	Fungicide

Boscalid	Cruciferous leaf vegetables with small leaves	4.0	Fungicide
Boscalid	Fireweed	4.0	Fungicide
Boscalid	Garland chrysanthemum	4.0	Fungicide
Boscalid	Gynura Oralis Hay	4.0	Fungicide
Boscalid	Gynura's Deux Couleurs	4.0	Fungicide
Boscalid	Leafy pea	4.0	Fungicide
Boscalid	Radish	0.5	Fungicide
Boscalid	Sprouts mustard	1.5	Fungicide
Boscalid	Swede	0.5	Fungicide
Boscalid	Wasabi	0.5	Fungicide
Chromafenozide	Mints	1.0	Insecticide
Clothianidin	Banana	0.5	Insecticide
Clothianidin	Papaya	0.5	Insecticide
Clothianidin	Rambutan	0.5	Insecticide
Cyazofamid	Burdock	0.1	Fungicide
Cyazofamid	Carrot	0.1	Fungicide
Cyazofamid	Celery	1.0	Fungicide
Cyazofamid	Cos lettuce	1.0	Fungicide
Cyazofamid	Fireweed	1.0	Fungicide
Cyazofamid	Garland chrysanthemum	1.0	Fungicide
Cyazofamid	Gynura Oralis Hay	1.0	Fungicide
Cyazofamid	Gynura's Deux Couleurs	1.0	Fungicide
Cyazofamid	Head lettuce	1.0	Fungicide
Cyazofamid	Leaf lettuce	1.0	Fungicide
Cyazofamid	Okra	2.0	Fungicide
Cyazofamid	Roselle	2.0	Fungicide
Cyfluthrin	Soybean	0.05	Insecticide
Cyhalothrin	Mesona	2.0	Insecticide
Cyhalothrin	Papaya	1.0	Insecticide
Cyhalothrin	Rambutan	1.0	Insecticide
Cyprodinil	Citrus	3.0	Fungicide
Dimethomorph	Carrot	0.05	Fungicide
Dimethomorph	Celery	2.5	Fungicide
Etoxazole	Eggplant	0.2	Acaricide
Etoxazole	Hot pepper	0.2	Acaricide
Etoxazole	Lycii fructus	0.2	Acaricide
Etoxazole	Pepino	0.2	Acaricide
Etoxazole	Sweet pepper	0.2	Acaricide
Etoxazole	Tomato	0.2	Acaricide
Etoxazole	Tree tomato	0.2	Acaricide
Fenbutatin-oxide	Eggplant	1.0	Acaricide
Fenbutatin-oxide	Hot pepper	1.0	Acaricide
Fenbutatin-oxide	Lycii fructus	1.0	Acaricide
Fenbutatin-oxide	Pepino	1.0	Acaricide
Fenbutatin-oxide	Sweet pepper	1.0	Acaricide
Fenbutatin-oxide	Tree tomato	1.0	Acaricide
Fenpyroximate	Soybean	0.1	Acaricide
Flonicamid	Broad bean (fresh)	2.0	Insecticide

Flonicamid	Cowpea (fresh)	2.0	Insecticide
Flonicamid	Goa bean	2.0	Insecticide
Flonicamid	Hyacinth bean	2.0	Insecticide
Flonicamid	Lima bean	2.0	Insecticide
Flonicamid	Okra	0.4	Insecticide
Flonicamid	Pea	2.0	Insecticide
Flonicamid	Pigeon pea (fresh)	2.0	Insecticide
Flonicamid	Rambutan	0.4	Insecticide
Flonicamid	Snap bean	2.0	Insecticide
Flonicamid	Sword bean	2.0	Insecticide
Flonicamid	Tea seed	1.0	Insecticide
Flonicamid	White dutch runner bean (fresh)	2.0	Insecticide
Flufenoxuron	Melon vegetables	0.2	Insecticide
Fluopicolide	Carrot	0.02	Fungicide
Fluopicolide	Celery	3.0	Fungicide
Flutriafol	Melon vegetables	0.3	Fungicide
Flutriafol	Tea seed	0.2	Fungicide
Imibenconazole	Tea seed	0.1	Fungicide
Imidacloprid	Rambutan	0.5	Insecticide
Lufenuron	Broad bean (fresh)	1.0	Insecticide
Lufenuron	Cowpea (fresh)	1.0	Insecticide
Lufenuron	Goa bean	1.0	Insecticide
Lufenuron	Hyacinth bean	1.0	Insecticide
Lufenuron	Lima bean	1.0	Insecticide
Lufenuron	Pea	1.0	Insecticide
Lufenuron	Pigeon pea (fresh)	1.0	Insecticide
Lufenuron	Snap bean	1.0	Insecticide
Lufenuron	Sword bean	1.0	Insecticide
Lufenuron	White dutch runner bean (fresh)	1.0	Insecticide
Mandipropamid	Eggplant	2.0	Fungicide
Mandipropamid	Hot pepper	2.0	Fungicide
Mandipropamid	Lycii fructus	2.0	Fungicide
Mandipropamid	Okra	2.0	Fungicide
Mandipropamid	Roselle	2.0	Fungicide
Mandipropamid	Sweet pepper	2.0	Fungicide
Mepronil	Celery	1.0	Fungicide
Mepronil	Eggplant	0.02	Fungicide
Mepronil	Hot pepper	0.02	Fungicide
Mepronil	Lycii fructus	0.02	Fungicide
Mepronil	Pepino	0.02	Fungicide
Mepronil	Sweet pepper	0.02	Fungicide
Mepronil	Tomato	0.02	Fungicide
Mepronil	Tree tomato	0.02	Fungicide
Metaflumizone	Soybean	0.2	Insecticide
Methoxyfenozide	Bamboo shoot	0.5	Insecticide
Methoxyfenozide	Co-ba	0.5	Insecticide
Methoxyfenozide	Hairy uraria	0.5	Insecticide
Methoxyfenozide	Job's tears	0.02	Insecticide

Methoxyfenozide	Millet	0.02	Insecticide
Methoxyfenozide	Sorghum	0.02	Insecticide
Methoxyfenozide	Wheat	0.02	Insecticide
Methoxyfenozide	Woolly glycine	0.5	Insecticide
Methoxyfenozide	Yam bean	0.5	Insecticide
Propamocarb hydrochloride	Broad bean (fresh)	0.1	Fungicide
Propamocarb hydrochloride	Carrot	0.3	Fungicide
Propamocarb hydrochloride	Celery	10.0	Fungicide
Propamocarb hydrochloride	Cowpea (fresh)	0.1	Fungicide
Propamocarb hydrochloride	Goa bean	0.1	Fungicide
Propamocarb hydrochloride	Hyacinth bean	0.1	Fungicide
Propamocarb hydrochloride	Lima bean	0.1	Fungicide
Propamocarb hydrochloride	Pea	0.1	Fungicide
Propamocarb hydrochloride	Pigeon pea (fresh)	0.1	Fungicide
Propamocarb hydrochloride	Snap bean	0.1	Fungicide
Propamocarb hydrochloride	Sword bean	0.1	Fungicide
Propamocarb hydrochloride	White dutch runner bean (fresh)	0.1	Fungicide
Propiconazole	Chinese chive	0.1	Fungicide
Propiconazole	Chive flower	0.1	Fungicide
Propiconazole	Garlic	0.2	Fungicide
Propiconazole	Green garlic	0.1	Fungicide
Propiconazole	Hot pepper	0.3	Fungicide
Propiconazole	Leek sprout	0.1	Fungicide
Propiconazole	Scallion	0.1	Fungicide
Propiconazole	Scallion bulb	0.2	Fungicide
Propiconazole	Shallot	0.1	Fungicide
Propiconazole	Shallot bulb	0.2	Fungicide
Propiconazole	Spring onion	0.1	Fungicide
Propiconazole	Sweet pepper	0.3	Fungicide
Pyriproxyfen	Broad bean (fresh)	0.2	Insecticide
Pyriproxyfen	Cowpea (fresh)	0.2	Insecticide
Pyriproxyfen	Goa bean	0.2	Insecticide
Pyriproxyfen	Hyacinth bean	0.2	Insecticide
Pyriproxyfen	Lima bean	0.2	Insecticide
Pyriproxyfen	Pea	0.2	Insecticide
Pyriproxyfen	Pigeon pea (fresh)	0.2	Insecticide

Pyriproxyfen	Snap bean	0.2	Insecticide
Pyriproxyfen	Sword bean	0.2	Insecticide
Pyriproxyfen	White dutch runner bean (fresh)	0.2	Insecticide
Spiromesifen	Indian jujubes	2.0	Insecticide
Spirotetramat	Sweet potato	0.8	Acaricide
Tebuconazole	Broad bean (fresh)	1.0	Fungicide
Tebuconazole	Celery	1.0	Fungicide
Tebuconazole	Chayote shoots	1.0	Fungicide
Tebuconazole	Chinese chive	1.0	Fungicide
Tebuconazole	Chive flower	1.0	Fungicide
Tebuconazole	Cos lettuce	1.0	Fungicide
Tebuconazole	Cowpea (fresh)	1.0	Fungicide
Tebuconazole	Cruciferous leaf vegetables with small leaves	1.0	Fungicide
Tebuconazole	Fireweed	1.0	Fungicide
Tebuconazole	Garland chrysanthemum	1.0	Fungicide
Tebuconazole	Goa bean	1.0	Fungicide
Tebuconazole	Green garlic	1.0	Fungicide
Tebuconazole	Gynura Oralis Hay	1.0	Fungicide
Tebuconazole	Gynura's Deux Couleurs	1.0	Fungicide
Tebuconazole	Hyacinth bean	1.0	Fungicide
Tebuconazole	Leaf lettuce	1.0	Fungicide
Tebuconazole	Leek sprout	1.0	Fungicide
Tebuconazole	Lima bean	1.0	Fungicide
Tebuconazole	Pea	1.0	Fungicide
Tebuconazole	Pigeon pea (fresh)	1.0	Fungicide
Tebuconazole	Scallion	1.0	Fungicide
Tebuconazole	Shallot	1.0	Fungicide
Tebuconazole	Snap bean	1.0	Fungicide
Tebuconazole	Spinach	1.0	Fungicide
Tebuconazole	Spring onion	1.0	Fungicide
Tebuconazole	Swede	0.4	Fungicide
Tebuconazole	Sword bean	1.0	Fungicide
Tebuconazole	White dutch runner bean (fresh)	1.0	Fungicide
Tetraconazole	Eggplant	0.5	Fungicide
Tetraconazole	Hot pepper	0.5	Fungicide
Tetraconazole	Lycii fructus	0.5	Fungicide
Tetraconazole	Pepino	0.5	Fungicide
Tetraconazole	Sweet pepper	0.5	Fungicide
Tetraconazole	Tomato	0.5	Fungicide
Tetraconazole	Tree tomato	0.5	Fungicide
Thiamethoxam	Banana	0.4	Insecticide
Thiamethoxam	Hazelnut (filbert)	0.01	Insecticide
Thiamethoxam	Papaya	0.4	Insecticide
Trifloxystrobin	Broad bean (fresh)	0.5	Fungicide
Trifloxystrobin	Chayote shoots	1.0	Fungicide
Trifloxystrobin	Cos lettuce	1.0	Fungicide

Trifloxystrobin	Cowpea (fresh)	0.5	Fungicide
Trifloxystrobin	Cruciferous leaf vegetables with small leaves	1.0	Fungicide
Trifloxystrobin	Fireweed	1.0	Fungicide
Trifloxystrobin	Garland chrysanthemum	1.0	Fungicide
Trifloxystrobin	Goa bean	0.5	Fungicide
Trifloxystrobin	Gynura Oralis Hay	1.0	Fungicide
Trifloxystrobin	Gynura's Deux Couleurs	1.0	Fungicide
Trifloxystrobin	Hyacinth bean	0.5	Fungicide
Trifloxystrobin	Lima bean	0.5	Fungicide
Trifloxystrobin	Pea	0.5	Fungicide
Trifloxystrobin	Pigeon pea (fresh)	0.5	Fungicide
Trifloxystrobin	Snap bean	0.5	Fungicide
Trifloxystrobin	Spinach	1.0	Fungicide
Trifloxystrobin	Swede	0.08	Fungicide
Trifloxystrobin	Sword bean	0.5	Fungicide
Trifloxystrobin	White dutch runner bean (fresh)	0.5	Fungicide
Triflumizole	Eggplant	1.0	Fungicide
Triflumizole	Hot pepper	1.0	Fungicide
Triflumizole	Lycii fructus	1.0	Fungicide
Triflumizole	Pepino	1.0	Fungicide
Triflumizole	Sweet pepper	1.0	Fungicide
Triflumizole	Tomato	1.0	Fungicide
Triflumizole	Tree tomato	1.0	Fungicide

## Article 6

### Appendix Table 5

#### Classification of Crops for the Pesticide Residue Limits in Foods

Group	Crop
2. Wheat and barley	durum wheat
3. Other cereals and crops	buckwheat